

# Home

## SiteStats

### Introduction

The Sakai SiteStats tool allows authorized users to view site usage statistics. Statistics are organized in two screens:

- **Overview:** summary of the most interesting site usage statistics
- **Reports:** user-defined/predefined printable and exportable detailed reports about site visits, tool activity and resource activity.

A complete list of features is available [here](#).

SiteStats is highly configurable - take a look at the [configuration](#) and [performance](#) pages for more information.

Feel free to send suggestions to [ufpuv-suporte@ufp.pt](mailto:ufpuv-suporte@ufp.pt) or by using the [SiteStats JIRA section](#).

### Main information

- [Features](#)
- Screenshots: [1.0 Release](#) | [2.0 Release](#)
- [Installation Guide](#)
- [Configuration Options](#)
- [Performance Considerations](#)

### Release information



#### SVN Repository

Please note that SiteStats had recently moved from contrib to main svn repo!

#### Download:

- **Latest stable 2.1.x release:**
  - [2.1.5](#), for Sakai 2.7.x
  - [2.1.x branch](#), for Sakai 2.7.x
- **Latest stable 2.0.x release:**
  - [2.0.5](#), for Sakai 2.6.x
  - [2.6.x branch](#), for Sakai 2.6.x — ([RSS for merged issues](#))
  - [2.5.x branch](#), for Sakai 2.5.x — ([RSS for merged issues](#))
- **Previous 1.x release:**
  - [1.2.3](#), for Sakai 2.5.x
  - [2.5.x branch](#), for Sakai 2.5.x
  - [2.4.x branch](#), for Sakai 2.4.x
- **Latest trunk/development release:**
  - [2.2-SNAPSHOT](#), for Sakai 2.8-SNAPSHOT/trunk

**Change History:** list of changes per release can be seen on the [Change Log](#).

**JIRA:** [Browse issues/feature requests](#)

### Additional information

- [Live Demo](#) at UFP (SiteStats 2.0.x). Notes:
  - 1: Use user id: `demo1`, password: `demo1`
  - 2: Account with limited access and limited set of tools available for SiteStats
  - 3: Does not reflect default skin (custom skin used)
- [How to add support for my tool in Site Stats](#)
- SiteStats and SAK-10801:
  - SiteStats versions  $\geq 1.1$  are aware of

[SAK-10801](#) - Add contextId (siteId) field to Event CLOSED resolution and will

use `Event.getContext()` method **if available**. Please see [SiteStats and SAK-10801](#) for more information about this.

- Old releases information pages:
  - [SiteStats 0.5.9 Release](#)

## Authors

### Project Lead(s):


- [Nuno Fernandes](#)

### Contributors:

- [Jason Shao](#)
- [David Roldán Martínez](#)
- [Denny](#)
- [Anthony Whyte](#)
- [Steve Swinsburg](#)

## Screenshots

### 2.0 Release




[View all 2.0 Release full-size screenshots](#)

### 1.0 Release

### Overview

#### Views

Default | Last month | Last year



#### Activity

Default | Last month | Last year



Total usage expressed in percentage: 100

[View all 1.0 Release full-size screenshots](#)